


## Tunnel Lining Noise Walls







**VITRA**GROUP® has been pioneering market leading products to suit a wide variety of projects throughout Australasia.


We are inspired by a corporate vision to continually raise the benchmark through regular liaison with architects, designers and contractors, ongoing product development and technology breakthroughs like **VITRA**FLON  $700^{\text{TM}}$ .

Our products are designed to match the specific requirements of Secondary Tunnel Lining, External Noise Walls and Bridge Claddings.

VITRAPANEL® is produced using high density Australian made fibre cement board by processing it and applying Vitragroup's proprietary coating system VITRATHANE 644™ or VITRAFLON 744™. VITRAPANEL® is completely sealed and coated on one or both faces and all edges. Multiple thicknesses and sizes available to suit most applications.

## **Innovators in Tunnel Lining & Noise Walls**





Tunnels require fire and impact resistant linings, which offer long life and minimal maintenance.

#### VITRAPANEL® builds in those benefits and more:

- Chemical resistant
- Bacteria and mould resistant
- Non-corrodible.

**VITRA**PANEL® is a cost competitive, flexible and reliable tunnel lining. Vitragroup's production capacity is capable of meeting any project deadline.

- Fast to install and easily replaceable, reducing labour costs
- Variety of panel sizes and thicknesses for individual projects
- Flat or curved panels
- Short response time, no delays
- Easy to clean, low maintenance.

Noise Walls require extra long life and no maintenance.

**VITRA**PANEL PLATINUM™ provides up to 40 years of warranty and self cleaning due to the special low surface tension coating.

Cost-effective and flexible

**Durable** and

fire resistant

Cover upper: Crafers Tunnel, Adelaide Cover lower: M7 Motorway, Sydney

M7 photos courtesy of ABIGROUP - LEIGHTON JV

M5 East & Cross City Tunnel photos courtesy of Baulderstone Hornibrook

# Meets international product standards






Proven reliability

Quality, unique finish

Service and product excellence



#### VITRAPANEL® and VITRAPANEL EC™ has been used successfully in tunnel and noise wall projects:

- M5 East Freeway Tunnel, Sydney, NSW 52,000 m<sup>2</sup>
   Design & Construction: Baulderstone Hornibrook
   Bilfinger + Berger M5 East Joint Venture
- Crafers Tunnel, Adelaide, SA 10,000 m<sup>2</sup>
  Builder: McMahon Concrete Constructions Joint Venture
- Brisbane City Bypass Tunnel, Brisbane, QLD 5,000 m<sup>2</sup> Builder: Leighton Contractors
- Cross City Tunnel, Sydney, NSW 37,000 m<sup>2</sup>
   Design & Construction: Baulderstone Hornibrook
   Bilfinger + Berger Cross City Joint Venture
- Aberdeen Tunnel, Hong Kong, 30,000 m<sup>2</sup>
- Cross City Tunnel, Hangzhou, China, 12,000 m<sup>2</sup>
- Westlink M7 Noise Walls, Sydney, NSW 45,000 m<sup>2</sup>
   Builder: ABIGROUP LEIGHTON Joint Venture.

### Compressed Fibre Cement used is high density, high quality board which complies with:

- AS Australian Standard
- BSI British Standard Institution
- ISO International Organisation for Standardisation.

#### While maximising strength, durability and design flexibility, VITRAPANEL® still maintains aesthetics.

- · Low glare, driver friendly design
- Non-staining and abrasion resistant
- Maintains light reflectivity
- Graffiti resistant

**VITRA**GROUP® has the proven capability to work with their customers throughout the design and tender process, maximising the prospect of a successful outcome.


We guarantee first class service, strict control of quality and product excellence.




World class tunnel lining & noise walls



#### **Innovators in Tunnel Lining & Noise Walls**





#### Fire resistant

Abrasion resistant

Impact resistant

**Cost-effective** 

Fast to install and easily replaceable

Flat or curved panels

Short response time, no delays

Variety of panel sizes and thicknesses to suit individual projects

Weather / UV resistant

Easy to clean, low maintenance

**Unlimited colour range** 

Colour fade resistance

Ceramic-like coating

Graffiti resistant

Bacteria and mould resistant

**Maintains light reflectivity** 

Meets international product standards

Various fixing methods to suit each project

**Design solutions support.** 

For more information on please contact:



13 Bromley Road, P.O. Box 820 Emu Plains NSW 2750 Australia

Ph: +61 2 4735 4122

Fax: +61 2 4735 6322 Email: mail@vitragroup.com Web: www.vitragroup.com